

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ax: Axis-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Be: Beaches-----	100	Not rated		Not rated		Not rated	
Bs: Bibb-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Bt: Bibb Variant-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
BuA: Butlertown-----	45	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
Mattapex-----	40	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
BuB2: Butlertown-----	40	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
Mattapex-----	40	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
BuC2: Butlertown-----	40	Not limited		Somewhat limited Depth to saturated zone	0.95	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mattapex-----	35	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Very limited Slope  Depth to saturated zone	1.00  0.07
CeB2: Colts Neck-----	100	Not limited		Not limited		Not limited	
CeC2: Colts Neck-----	100	Not limited		Not limited		Very limited Slope	1.00
CgC2: Colts Neck-----	95	Not limited		Not limited		Very limited Slope	1.00
CgC3: Colts Neck-----	100	Not limited		Not limited		Very limited Slope	1.00
CgD2: Colts Neck-----	95	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
CgD3: Colts Neck-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
CnE: Colts Neck-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Sassafras-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Em: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Fa: Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fh: Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
FmB: Fort Mott-----	100	Not limited		Not limited		Not limited	
FmC2: Fort Mott-----	100	Not limited		Not limited		Very limited Slope	1.00
GaB: Galestown-----	100	Not limited		Not limited		Not limited	
GaD: Galestown-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
GaE: Galestown-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Ih: Ipswich-----	100	Very limited Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00
Ik: Iuka-----	100	Very limited Flooding Depth to saturated zone	1.00 0.39	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.39
KmA: Keyport-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KmB2: Keyport-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KpA: Keyport-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KpB2: Keyport-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KpC2: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Very limited Slope Shrink-swell	1.00 0.50
Ks: Kingsland-----	100	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
MfB: Matapeake-----	100	Not limited		Not limited		Not limited	
MnA: Matapeake-----	100	Not limited		Not limited		Not limited	
MnB: Matapeake-----	100	Not limited		Not limited		Not limited	
MnC2: Matapeake-----	100	Not limited		Not limited		Very limited Slope	1.00
MnC3: Matapeake-----	100	Not limited		Not limited		Very limited Slope	1.00
MnD2: Matapeake-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
MpA: Mattapex-----	95	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MpB: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MtA: Mattapex-----	95	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtB: Mattapex-----	95	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MtC2: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone	1.00 0.07
MwD: Mattapex-----	40	Somewhat limited Slope Depth to saturated zone	0.84 0.07	Very limited Depth to saturated zone Slope	1.00 0.84	Very limited Slope Depth to saturated zone	1.00 0.07
Woodstown-----	35	Somewhat limited Slope	0.84	Very limited Depth to saturated zone Slope	1.00 0.84	Very limited Slope	1.00
MxA: Mattapex-----	40	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
Matapeake-----	28	Not limited		Not limited		Not limited	
Butlertown-----	27	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
MxB: Mattapex-----	40	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
Matapeake-----	35	Not limited		Not limited		Not limited	
Butlertown-----	20	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
MzA: Mattapex Variant----	95	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MzB: Mattapex Variant----	95	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Oh: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Pt: Pits-----	100	Not rated		Not rated		Not rated	
SaA: Sassafras-----	100	Not limited		Not limited		Not limited	
SaB: Sassafras-----	95	Not limited		Not limited		Not limited	
SaC2: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
SaD2: Sassafras-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SaD3: Sassafras-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SfA: Sassafras-----	100	Not limited		Not limited		Not limited	
SfB: Sassafras-----	100	Not limited		Not limited		Not limited	
SfC2: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
SfC3: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
SfD3: Sassafras-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SgB: Sassafras-----	100	Not limited		Not limited		Not limited	
SgC2: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
SgC3: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
SgD3: Sassafras-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W: Water-----	100	Not rated		Not rated		Not rated	
We: Westbrook-----	100	Very limited Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00
WoA: Woodstown-----	95	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WoB: Woodstown-----	90	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WsA: Woodstown-----	90	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WsB: Woodstown-----	90	Not limited		Very limited Depth to saturated zone	1.00	Not limited	

